

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

ARBY'S
2815 S TEN MILE DR
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 07/01/15
 INSPECTION

Description	Status
OBSERVED: Goose neck and faucet on the triple sink has leaking present	CRITICAL
OBSERVED: Several flies present in the kitchen and prep area of the kitchen.	NON-CRITICAL
OBSERVED: Prep table cutting board has broken and peeling corners present.	NON-CRITICAL
OBSERVED: Seal is broken on the front service cooler	NON-CRITICAL
OBSERVED: Seal on the Beverage Air Small Freezer has an accumulation of food debris	
OBSERVED: Seal is broken on the Beverage Air Fry Freezer	
OBSERVED: Beverage Air Fry Freezer has accumulation of food debris on the inside of freezer	CRITICAL
OBSERVED: Vent Hood Filter have an accumulation of grease and debris.	
OBSERVED: Floors in the Walk-In Freezer has an accumulation of food debris	NON-CRITICAL

FOLLOW-UP
 INSPECTION
 Occurred 07/14/15

OBSERVED: Prep table cutting board has broken and peeling corners present.	NON-CRITICAL
--	--------------

BINGHAM'S RESTAURANT [TRUMAN HOTEL]
1510 JEFFERSON ST
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 07/17/15
 INSPECTION

Description	Status
OBSERVED: empty walk in cooler #2 running above 41 F, and above 45 F [adjust to below 41 F before placing food into]	NON-CRITICAL

BONES RESTAURANT & LOUNGE
210 E COMMERCIAL WAY
JEFFERSON CITY, MO 65101
 Occurred
 ROUTINE 07/15/15
 INSPECTION

Description	Status
OBSERVED: rust and water starting to come from the heater elements on one water heater	NON-CRITICAL
OBSERVED: raw meat stored with or above ready to eat food in two locations: [1] walk in cooler [2] pantry Coke reach in cooler	CRITICAL
OBSERVED: uncovered breading mix found next to True 2 door freezer under dusty ceiling grate	NON-CRITICAL
OBSERVED: the following items have food soils present: walk in cooler wire shelves, ingredient bin exteriors by salad prep station, salad lowboy cooler interior under pull out pans	NON-CRITICAL
OBSERVED: ice buildup present in 2nd floor GE condiment cooler	

FOLLOW-UP
 INSPECTION
 Occurred 07/20/15

OBSERVED: rust and water starting to come from the heater elements of one water heater [replacement scheduled]	NON-CRITICAL
--	--------------

BREAK TIME #3049
1200 MISSOURI BLVD
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 07/29/15
 INSPECTION

Description	Status
-------------	--------

0

No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

BUFFALO WILD WINGS GRILL & BAR
707 STONERIDGE PKWY STE B
JEFFERSON CITY, MO 65109

ROUTINE INSPECTION
 Occurred 07/15/15

Description	Status
OBSERVED: No sanitizer was present in the glass dish washer in the bar area.	CRITICAL
OBSERVED: Door on the chicken Walk-In Cooler is in disrepair.	NON-CRITICAL
OBSERVED: Wiping clothes stored in and on the bar hand wash sink.	NON-CRITICAL
OBSERVED: Spray bottle stored on bar sink. Please stored with other chemical bottles.	
OBSERVED: Bags of sauce in the dry storage area stored open; not in a seal container or seal bag.	CRITICAL

FOLLOW-UP INSPECTION
 Occurred 07/28/15

Description	Status
OBSERVED: Door on the chicken walk in cooler is in disrepair.	NON-CRITICAL

CAPTAIN D'S SEAFOOD
2118 MISSOURI BLVD
JEFFERSON CITY, MO 65109

FOLLOW-UP INSPECTION
 Occurred 07/09/15
 0

Description	Status
No Violations Cited	

CHINA WOK
520 ELLIS BLVD L
JEFFERSON CITY, MO 65101

ROUTINE INSPECTION
 Occurred 07/21/15

Description	Status
OBSERVED: exterior of chest freezers, interior exterior walls of walk in cooler, walls by back hand sink have food debris accumulation.	NON-CRITICAL
OBSERVED: front service hand sink not clean, handles not clean on prep sink.	
OBSERVED: back hand sink observed not readily accessible for use (clutter in front of).	NON-CRITICAL
OBSERVED: kitchen area cluttered with unnecessary items.	NON-CRITICAL
OBSERVED: back screen door has gaps present around edges.	NON-CRITICAL

GERBES #118 SUPERSTORE--GROCERY
2101 SCHOTTHILL WOODS DR
JEFFERSON CITY, MO 65101

ROUTINE INSPECTION
 Occurred 07/21/15
 0

Description	Status
No Violations Cited	

GOLDEN CHINA RESTAURANT
2021 MISSOURI BLVD
JEFFERSON CITY, MO 65109

ROUTINE INSPECTION
 Occurred 07/15/15

Description	Status
OBSERVED: tea containers do not have lids present.	NON-CRITICAL
OBSERVED: base coving/wall damage by back garage door.	NON-CRITICAL
OBSERVED: water damage ceiling tiles present.	
OBSERVED: charred wood present behind Mongolian Grill.	
OBSERVED: walk in cooler door damaged.	
OBSERVED: no disposable paper towels present at server hand sink.	NON-CRITICAL
OBSERVED: employee drink containers on food work table without proper lids.	CRITICAL
OBSERVED: no hand soap present at server hand sinks.	NON-CRITICAL
OBSERVED: bare wood observed on food storage shelves.	NON-CRITICAL
OBSERVED: grease deposit observed on and around tile edging in	NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

cook line.

OBSERVED: floor has food debris present behind convection oven.

OBSERVED: floor not clean under soft serve dispenser.

OBSERVED: grease deposits observed around mongolian grill floors/equipment.

OBSERVED: sneeze guards not present at back side of Mongolian Grill and dessert bar. NON-CRITICAL

OBSERVED: Hot water faucet not working at 3-compartment sink. CRITICAL

OBSERVED: Cold water faucet not working at kitchen hand sink.

OBSERVED: food debris present in bottom of reach in cooler-mongolian bar. NON-CRITICAL

OBSERVED: foods at cold table in buffet bar not 41 degrees F or below. CRITICAL

HIBACHI GRILL & SUPREME BUFFET**730 W STADIUM BLVD****JEFFERSON CITY, MO 65109**

Occurred

07/08/15

FOLLOW-UP
INSPECTION

0

Description

Status

No Violations Cited

BAYMONT INN & SUITES [R BAR, HOTS BREAKFAST]**319 W MILLER ST****JEFFERSON CITY, MO 65101**

Occurred

07/23/15

ROUTINE
INSPECTION

Description

Status

OBSERVED: no paper towels present in dispenser at hand wash sink in bar; paper towels jammed in kitchen dispenser [clear] NON-CRITICAL

OBSERVED: interior flooring of keg cooler is soiled with food residues [cherries, juice, picks, etc]; absorbent pads in bottle cooler are soiled with food spills, and possible mold NON-CRITICAL

OBSERVED: metal floor of keg cooler coming up [reseal]; wood cut board is cracked and stained [replace] NON-CRITICAL

OBSERVED: hot water faucet leaks on triple sink NON-CRITICAL

OBSERVED: unlabeled hand wash sink; designate and supply one of the 4 hole sinks for hand washing only NON-CRITICAL

J. PFENNY'S SPORTS BAR & GRILL**217 E HIGH ST****JEFFERSON CITY, MO 65101**

Occurred

07/13/15

ROUTINE
INSPECTION

Description

Status

OBSERVED: drywall next to walk in freezer entrance is chipped, repair and cover drywall NON-CRITICAL

OBSERVED: condensate leaking from kitchen ceiling tile into work area [expo area]

OBSERVED: ice maker shatter plate and interior bin sides show mold or soil deposits, clean and sanitize NON-CRITICAL

OBSERVED: unprotected bulbs present above ice maker and pizza dough mixer NON-CRITICAL

OBSERVED: some light fixtures non-functional in kitchen [being replaced soon] NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
LEE'S FAMOUS RECIPE 1550 MISSOURI BLVD JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE INSPECTION	07/28/15	OBSERVED: test strips not available for quat sanitizer.	NON-CRITICAL
MCDONALD'S 815 EASTLAND DR JEFFERSON CITY, MO 65101	Occurred	Description	Status
ROUTINE INSPECTION	07/29/15	OBSERVED: salad prep station utility sink has cold water turned off due to a leak	NON-CRITICAL
		OBSERVED: Traulsen salad cooler marginal temp inside due to leaky, open doors; temp ok if doors are forced and kept closed	NON-CRITICAL
		OBSERVED: lowboy milk cooler at marginal temp, removed product until repaired	
		OBSERVED: line salad cooler marginal temp, check and repair possible freon leak	
		OBSERVED: the following coolers need adjustments or repairs made as follows: [1] milk cooler holding 45 F instead of 41 F or lower [2] line salad cooler holding 45 F instead of 41 F or lower [3] Traulsen cooler doors pop open, do not stay closed	NON-CRITICAL
		OBSERVED: broken or loose quarry tile floor in front of Beverage / McCafe stations	NON-CRITICAL
MCDONALDS 1918 JEFFERSON ST JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE INSPECTION	07/20/15	OBSERVED: Traulsen Freezer seals have accumulation food debris	NON-CRITICAL
		OBSERVED: Fry Vents have grease and dust accumulation	
		OBSERVED: Gaskets on the Prep Cooler #2 and Traulsen Freezer are in disrepair.	NON-CRITICAL
		*** Manager stated seals are on ordered***	
NEW CHINA RESTAURANT 905 EASTLAND DR STE D JEFFERSON CITY, MO 65101	Occurred	Description	Status
ROUTINE INSPECTION	07/14/15	OBSERVED: vent hood behind filters have grease accumulation.	NON-CRITICAL
		OBSERVED: spray nozzels can potentially be below flood rim of sinks.	NON-CRITICAL
		OBSERVED: area around door handle to public restroom not clean.	NON-CRITICAL
		OBSERVED: mold accumulating on wall behind dish washer.	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
PIZZA KWIK 1121 E MILLER ST JEFFERSON CITY, MO 65101	Occurred	Description	Status
ROUTINE	07/15/15		
INSPECTION			
		OBSERVED: sinks set incorrectly for wash/sanitize/rinse instead of properly for wash/rinse/sanitize	NON-CRITICAL
		OBSERVED: make table food items slightly above 41 F, keep perishable foods below 41 F; make table heavily iced to help hold temperature	NON-CRITICAL
RUBY TUESDAY 2300 MISSOURI BLVD JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE	07/22/15		
INSPECTION			
0		No Violations Cited	
SCHOLASTIC'S - ALGOA LOCATION 6336 ALGOA RD JEFFERSON CITY, MO 65101	Occurred	Description	Status
ROUTINE	07/29/15		
INSPECTION			
		OBSERVED: test strips not available to test sanitizer solution.	NON-CRITICAL
		OBSERVED: dust present on top of hot holding unit.	NON-CRITICAL
		OBSERVED: floor needs cleaning behind customer self serve tea station, behind grease trap/3 compartment sink, under 2 door true cooler, walls has food splatter under food prep table.	NON-CRITICAL
STIR FRY 88 3600 COUNTRY CLUB DR STE 226 JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE	07/09/15		
INSPECTION			
		OBSERVED: small amounts of food soil found on slicer, walk in freezer floor, and on shelving next to soda machine/2 door Cooler	NON-CRITICAL
		OBSERVED: sinks set up to wash/sanitize/rinse; discussed proper set up of wash/rinse/sanitize	NON-CRITICAL
SUBWAY SANDWICH SHOP 1922 MISSOURI BLVD STE B JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE	07/27/15		
INSPECTION			
		OBSERVED: Top of the microwave has food debris present	NON-CRITICAL
		OBSERVED: Soda fountain has splatter debris and dust accumulation present.	
SUBWAY SANDWICH SHOP 724 W STADIUM BLVD JEFFERSON CITY, MO 65109	Occurred	Description	Status
ROUTINE	07/28/15		
INSPECTION			
		OBSERVED: Strong odor in the men's restroom	NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**THE MISSION LLC****915 E HIGH ST X****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 07/27/15

INSPECTION

0

No Violations Cited

WAL-MART SUPERCENTER #29-GROCERY/DAIRY**724 W STADIUM BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 07/16/15

INSPECTION

OBSERVED: Several reach in freezers and coffin cases have food debris present on the bottom.

NON-CRITICAL

OBSERVED: Debris under Jacks Pizza.

OBSERVED: Spilled juice in the frozen juice area

OBSERVED: Loose cereal in the bagged cereal area.

OBSERVED: Loose rice in the bagged rice on the shelf

OBSERVED: four light fixtures were unshielded in the dairy walk in cooler.

NON-CRITICAL

OBSERVED: one light fixture was not working properly.

WELCOME INN AGAIN LLC**130 E DUNKLIN ST X****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 07/10/15

INSPECTION

OBSERVED: rinse temperature gauge on dish machine not reading correctly

NON-CRITICAL

OBSERVED: kitchen wire shelving in area under air vent has accumulated dust hanging

NON-CRITICAL

OBSERVED: water bath trap from washer/dryer is loose, ill-fitting on unit

NON-CRITICAL

OBSERVED: non-hazardous foods in Servers Coke half cooler above 41 F

NON-CRITICAL

OBSERVED: china bowl being used as food scoop in white sugar/salt; [required unbreakable with handle]

NON-CRITICAL

GERBES #118 SUPERSTORE--AMERICAN DELI**2101 SCHOTTHILL WOODS DR****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 07/20/15

INSPECTION

OBSERVED: the following items are in disrepair: [1] missing tiles in hot case [2] conduit chase open behind ovens [3] triple sink faucet leaks

NON-CRITICAL

GERBES #118 SUPERSTORE--BAKERY**2101 SCHOTTHILL WOODS DR****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 07/21/15

INSPECTION

OBSERVED: excess portion cup boxes stored on backroom floor

NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
GERBES #118 SUPERSTORE--CHINESE DELI 2101 SCHOTTHILL WOODS DR JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 0	Occurred 07/20/15 No Violations Cited	
MOSERS DISCOUNT FOODS--DELI 2411 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 07/07/15 OBSERVED: Fan covers have dust accumulation	Status NON-CRITICAL
WAL-MART SUPERCENTER #29-DELI 724 W STADIUM BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 07/10/15 OBSERVED: Debris under Snack Trays and Subs in the open display case OBSERVED: Debris behind the display glass in the open display cases in the middle of the floor.	Status NON-CRITICAL
CAPITAL CANDY 3600 COUNTRY CLUB DR STE 424 JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 0	Occurred 07/21/15 No Violations Cited	Status
HYVEE FOOD STORE-DELI 3721 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 07/14/15 OBSERVED: Side of grill has an accumulation of grease build up. OBSERVED: Clean inside and tracks of the cold display case	Status NON-CRITICAL
HYVEE FOOD STORE-SPECIALTY MEATS 3721 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 0	Occurred 07/14/15 No Violations Cited	Status
SAINT MARY'S HOSPITAL 2505 MISSION DR JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 07/06/15 OBSERVED: Food debris present on the back of the Metro Food Warmer.	Status NON-CRITICAL
BEST WESTERN CAPITAL INN 1937 CHRISTY DR JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 0	Occurred 07/14/15 No Violations Cited	Status

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**ECONO LODGE****1926 JEFFERSON ST****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

07/07/15

INSPECTION

Description

Status

OBSERVED: hand sink drain is stopped with debris and soil; soap and paper towels not readily accessible to hand sink for use NON-CRITICAL

OBSERVED: only double sink available for dishwashing, triple sink required or until remodeled a third portable bin for sanitizing NON-CRITICAL

OBSERVED: GE combo freezer compartment is full of frost with no room for food or contents NON-CRITICAL

OBSERVED: personal foods stored with motel foods in same cooler/freezer NON-CRITICAL

OBSERVED: leak in double sink cabinet NON-CRITICAL

OBSERVED: third portable tub/bin not being used for wash/rinse/sanitize of used utensils and equipment [purchase bin or install third sink with present double sink] NON-CRITICAL

DAYS INN**2100 JEFFERSON ST****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

07/24/15

INSPECTION

Description

Status

OBSERVED: whole milk was above 41 F, and above 45 F; ice wand not holding 41 F or below NON-CRITICAL

OBSERVED: whole milk in pitcher was found above 45 F during service CRITICAL

OBSERVED: sanitizer test kit is water damaged, therefore inaccurate NON-CRITICAL

OBSERVED: thermometers not present in all refrigerators NON-CRITICAL

OBSERVED: no soap present for hand washing at designated hand sink NON-CRITICAL

OBSERVED: no cooks thermometer available to check food temperatures [milk, refrigerators, etc] NON-CRITICAL

OBSERVED: no disposable paper towels present in dispenser at designated hand wash sink NON-CRITICAL

OBSERVED: designated hand sink is blocked for use by food items present in it [ie., English muffins] NON-CRITICAL

CHICK-FIL-A**3407 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

07/15/15

INSPECTION

Description

Status

OBSERVED: Several coolers have torn or broken seals. NON-CRITICAL

LITTLE WONDERS EARLY LEARNING CENTER**925 S COUNTRY CLUB DR STE E****JEFFERSON CITY, MO 65109**

Occurred

FOLLOW-UP

07/22/15

INSPECTION

0

Description

Status

No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

ABB CAFETERIA
500 W HWY 94
JEFFERSON CITY, MO 65101

ROUTINE INSPECTION	Occurred 07/28/15	Description	Status
		OBSERVED: dish machine tank temperature found to be below required 150 F, actually 107 F; test strip does not turn when cycle is run	CRITICAL
		OBSERVED: walk in cooler wire shelving is soiled with food debris, mold	NON-CRITICAL
		OBSERVED: Raetone 2 door reach in cooler is non-functional	NON-CRITICAL
		OBSERVED: rotary pizza display cabinet is non-functional both are awaiting parts and repair	
		OBSERVED: nacho cheese below 140 F	NON-CRITICAL
		CORRECTED ON SITE: found breaker to warmer was blown, reset breaker and unit was functional	

FOLLOW-UP INSPECTION	Occurred 07/29/15	Description	Status
		OBSERVED: cheesecake on frost top display table above 45 F; pan barrier directly under display	
		OBSERVED: chunk turkey above 45 F in salad bar; found to have styrofoam barrier beneath display	
		OBSERVED: Raetone 2 door reach in cooler is non-functional	NON-CRITICAL
		OBSERVED: rotary pizza display cabinet is non-functional both are awaiting parts and repair	
		OBSERVED: walk in cooler wire shelving is soiled with food debris, mold	NON-CRITICAL

BECKY'S CUPCAKES & MORE
3600 COUNTRY CLUB DR STE
JEFFERSON CITY, MO 65109

ROUTINE INSPECTION	Occurred 07/16/15	Description	Status
		OBSERVED: mop sink basin has mold accumulation.	NON-CRITICAL

ABC PRESCHOOL
1950 ROLLING HILLS DR
JEFFERSON CITY, MO 65109

ROUTINE INSPECTION	Occurred 07/21/15	Description	Status
		OBSERVED: Vent filter for exhaust over the stove has dust accumulation	NON-CRITICAL

WAL-MART SUPERCENTER #29 MEAT/SEAFOOD
724 W STADIUM BLVD
JEFFERSON CITY, MO 65109

ROUTINE INSPECTION	Occurred 07/23/15	Description	Status
		OBSERVED: Shelf under the ground turkey has chipping and peeling with rusting.	NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description